



# MATERIAL SAFETY DATA SHEET

Manufactured for Cohe Group Ltd, Havelock North, New Zealand

In case of emergency endangering health or the environment involving this product, call +64 275 239888

I. CHEMICAL PRODUCT/COMPANY IDENTIFICATION

PRODUCT NAME: Liquid Rubber Deck Coating

PRODUCT CODE: 64598

II. COMPOSITION: INFORMATION ON INGREDIENTS

CHEMICAL NAME:\* >40%water

>15%pigments

>40% Polyurethane Acrylate polymer

VoC < 0.1%

Balance inert ingredients

\*all percentages are approximate

W. LIAZA DDG IDENTIFICATION

### III. HAZARDS IDENTIFICATION

This product contains no ingredients listed or defined as hazardous under the Federal OSHA Hazard Communication Standard, 29 CRF 1910.1200.

**HUMAN HEALTH DATA** 

ROUTE(S) OF ENTRY: Skin contact; Eye contact

**HUMAN EFFECTS AND** 

SYMPTOMS OF OVEREXPOSURE: (This data is based on active ingredient)

ACUTE SKIN CONTACT: On the basis of animal toxicity testing (see Section XI), we expect this product to be mildly

irritating to the skin.

ACUTE EYE CONTACT: On the basis of animal toxicity testing (see Section XI), we expect this product to be mildly

irritating to the eyes.

ACUTE INGESTION: Ingestion may cause a laxative effect. On the basis of animal toxicity testing (see Section

XI), we expect this product to be essentially non-toxic by ingestion.

CHRONIC EFFECTS

OF EXPOSURE: No applicable information was found concerning any adverse chronic health effects to

humans resulting from long-term repeated overexposure to this product.

CARCINOGENICITY: None of the components listed by NTP, IARC, or regulated as a carcinogen by OSHA

MEDICAL CONDITIONS:

AGGRAVATED EXPOSURE: None known.

Cohe Group Limited

021 0256 8970 elliot@cohe.co.nz PO Box 8598





IV. FIRST AID MEASURES

FIRST AID FOR EYES: Immediately flush eyes with large amounts of water, occasionally lifting upper and lower

lids, until no evidence of chemical remains (at least 15-20 minutes). Get medical attention.

FIRST AID FOR SKIN: In case of contact, remove product mechanically and wash skin with soap or mild detergent

and water. Remove contaminated clothing. Call a physician if irritation occurs. Wash

clothing before reuse.

FIRST AID FOR INGESTION: If swallowed, call a physician immediately.

V. FIRE AND EXPLOSION DATA

FIRE & EXPLOSION HAZARDS: **EXTINGUISHING MEDIA:** 

SPECIAL FIRE FIGHTING

PROCEDURES:

Minimal

Water Spray. Foam. Dry Chemical. CO2. Halon

Wear self-contained breathing apparatus. Wear full protective equipment. Use water

Cool tank/container with water spray.

If area is heavily exposed to fire and if conditions permit, let fire burn itself out, since water

may increase the area contaminated.

**ACCIDENTAL RELEASE MEASURES** VI.

SPILL OR LEAK PROCEDURES: Utilize protective clothing and equipment (see Section VII). Spills should be taken up

mechanically and placed into labelled, closable containers. Avoid generation of dust. Spill

area can be washed with water. Collect wash water for approved disposal.

HANDLING AND STORAGE VII.

ADDITIONAL PROTECTIVE

MEASURES:

STORAGE TEMPERATURE: Less than 140 F (60 C), and above freezing.

SHELF LIFE: Five (5) years - Estimated.

SPECIAL SENSITIVITY: None known. HANDLING/STORAGE

Avoid getting in eyes or on skin. Wash thoroughly after handling. Store in a dry place PRECAUTIONS:

away from excessive heat. Reseal containers immediately after use. Store away from food

and beverages. Do not contaminate drinking water sources.

VIII. EXPOSURE CONTROL/PERSONAL PROTECTION

EYE PROTECTION: Safety glasses or goggles are recommended. SKIN PROTECTION: Rubber gloves and other protective clothing as appropriate tp prevent skin contact.

RESPIRATOR:

None. Use in well ventilated areas if sprayed or atomized.

Emergency showers and eve wash stations should be available. Employees should wash their hands and face before eating, drinking, or using tobacco products. Educate and train

employees on the safe use and handling of the product.

**Cohe Group** Limited

021 0256 8970 elliot@cohe.co.nz





.....

### IX. PHYSICAL DATA

SOLUBILITY IN WATER: Miscible in all proportions.

ODOR: Weak Aromatic FORM: Liquid

FORM: Liquid COLOR: Various pH 8.9

.....

## X. STABILITY AND REACTIVITY

STABILITY: This is a stable material.

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITIES: Strong oxidising agents.

INSTABILITY CONDITIONS: Stable at normal temperatures and storage conditions.

DECOMPOSITION TEMPERATURE: Greater than 518 F (270 C).

DECOMPOSITION PRODUCTS: Thermal decomposition may product potentially toxic and/or hazardous gases.

## XI. TOXICOLOGICAL INFORMATION

ANIMAL DATA - Active Ingredient shows low toxicity by all routes of exposure.

**ACUTE TOXICITY** 

 $\begin{array}{lll} \text{ORAL:} & \text{Rat LD}_{50} -> 5,000 \text{ mg/kg; FIFRA Category IV} \\ \text{DERMAL:} & \text{Rat LD50} -> 5,000 \text{ mg/kg; FIFRA Category IV} \\ \text{INHALATION:} & \text{Rat LC}_{50} -> 2.04 \text{mg/l; FIFRA Category IV} \\ \end{array}$ 

EYE IRRITATION: Rabbit; mild irritation; all animals free of irratation in 72 hours; FIFRA Category III SKIN IRRITATION: Rabbit; slight irritation; all animals free of irritation in 24 hours; FIFRA Category III

No skin allergy was observed in guinea pigs following repeated skin exposure.

## XII. ECOLOGICAL INFORMATION

AQUATIC TOXICITY LC50: >5,300 mg/l (pimephales promelae). Low toxicity and high Biodegradation profile. Rapidly absorbed

and metabolized on sediments and clays.

.....

## XIII. DISPOSAL CONSIDERATIONS

Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial and Local

Regulations.

CONTAINER DISPOSAL: Rinse (or equivalent) the container. Then offer for recycling or reconditioning, or

puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and

local authorities, by burning. If burned, stay out of smoke.

Cohe Group Limited

021 0256 8970 elliot@cohe.co.nz PO Box 8598





#### XIV. TRANSPORTATION INFORMATION

D.O.T. SHIPPING NAME: None

D.O.T. HAZARD CLASS: Non-regulated PRODUCT RQ (lbs.) None

D.O.T LABEL: Non-regulated D.O.T. PLACARD: Non-regulated

PRODUCT LABEL: Liquid Rubber Deck Coat

.....

#### REGULATORY INFORMATION XV.

**OSHA STATUS:** This product is not hazardous under the criteria of the Fæderal OSHA Hazard

Communication Standard 29 CFR 1910.1200.

TSCA STATUS: On TSCA Inventory

CERCLA REPORTABLE QUANTITY: None

SARA TITLE III:

**SECTION 302 EXTREMELY** 

HAZARDOUS SUBSTANCES: None

**SECTION 311/312** 

HAZARDOUS CATEGORIES: Non-hazardous under Section 311/312

SECTION 313

TOXIC CHEMICALS: None

**RCRA STATUS:** If discarded in its purchased form, this product would not be a hazardous waste either by

listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

.....

### XVI. OTHER INFORMATION

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on regulatory requirements you should contact the appropriate agency in your state.

PENNSYLVANIA: The active ingredient is considered Pennsylvania Nonhazardous, PA3

**CALIFORNIA PROPOSITION 65:** To the best of our knowledge, this product contains no levels of listed substances, which

the state of California has found to cause cancer, birth defects or other reproductive effects.

NFPA 704M RATINGS: Health Flammability Reactivity 1 1 0

> **Cohe Group** Limited

021 0256 8970 elliot@cohe.co.nz





0 = Insignificant 1 = Slight 2 = Moderate 3 = High 4 = Extreme

HMIS RATINGS: Health Flammability Reactivity Other 1 1 1 0 B

0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe B = Safety Glasses, gloves

## XVII. APPROVALS

PREPARED BY: Dr N Wall
APPROVAL DATE: 24/5/2018
SUPERSEDES DATE: 1st Edition
MSDS NUMBER 064598

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge ofIDEAL®. The data on this sheet relates only to the specific material designated hereinIDEALS ® assumes no legal responsibility for use or reliance upon this data.

0508 Seal it (732 548)